

# Algoflon® G10 polytetrafluoroethylene

Algoflon® G10 is a polytetrafluoroethylene (PTFE) virgin resin. This product has been developed as a PTFE resin for use in ASTM D4894-15, Type 1

applications. Algoflon® G10 is recommended for use in pyrotechnic applications.

#### General

Material Status	<ul> <li>Commercial: Active</li> </ul>		
Availability	• Europe		
Features	Chemical Resistant		
Uses	<ul> <li>Additive</li> </ul>	• Blending	
Appearance	• White		
Forms	• Powder		
Processing Method	Compression Molding		

Physical	Typical Value Unit	Test method
Specific Gravity	2.13 to 2.18	ASTM D4894
Average Particle Size	550 μm	ASTM D4894
Bulk Density	500 g/I	ASTM D4894
Mechanical	Typical Value Unit	Test method
Tensile Strength - minimum	13.9 MPa	ASTM D4894
Elongation at Break - minimum	150 %	ASTM D4894

#### Additional Information

Algoflon® G10 is classified as Type I Grade 1 resin in ASTM 04894, with the exception of Bulk Density.

NOTE: The data listed above fall with in the normal range of product properties, but they should not be used to establish specification limits nor be used alone as the basis of design.

#### **SAFETY & HANDLING**

Algoflon® G10 should be handled like other Algoflon® PTFE resins. When PTFE resins are heated to temperatures above 420°C, minor amounts of decomposition products, which may be harmful, are given off. Avoid inhalation of these fumes. Ovens and process equipment should be vented and adequate ventilation provided in the working area.

For further information refer to the Algoflon® PTFE Material Safety Data Sheet.

### Notes

Typical properties: these are not to be construed as specifications.

## www.syensqo.com

Safety Data Sheets (SDS) are available by emailing us or contacting your sales representative. Always consult the appropriate SDS before using any of our products.

Neither Syensqo nor any of its affiliates makes any warranty, express or implied, including merchantability or fitness for use, or accepts any liability in connection with this product, related information or its use. Some applications of which Syensqo's products may be proposed to be used are regulated or restricted by applicable laws and regulations or by national or international standards and in some cases by Syensqo's recommendation, including applications of food/feed, water treatment, medical, pharmaceuticals, and personal care. Only products designated as part of the Solviva® family of biomaterials may be considered as candidates for use in implantable medical devices. The user alone must finally determine suitability of any information or products for any contemplated use in compliance with applicable law, the manner of use and whether any patents are infringed. The information and the products are for use by technically skilled persons at their own discretion and risk and does not relate to the use of this product in combination with any other substance or any other process. This is not a license under any patent or other proprietary right.

All trademarks and registered trademarks are property of the companies that comprise the Syensqo or their respective owners.

© 2024 2023 Syensqo. All rights reserved.

